

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/4/1954  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Rheumatoid Arthritis Panel**

ARUP test code 2003277

Rheumatoid Factor	<b>20 IU/mL</b>	<b>H</b>	<b>(Ref Interval: 0-14)</b>
Cyclic Citrullinated Peptide Ab, IgG	<b>179 Units</b>	<b>H</b>	<b>(Ref Interval: 0-19)</b>

INTERPRETIVE INFORMATION: Cyclic Citrullinated Peptide Antibody, IgG

19 Units or less ..... Negative  
20-39 Units ..... Weak Positive  
40-59 Units ..... Moderate Positive  
60 Units or greater ..... Strong Positive

Anti-cyclic citrullinated peptide (anti-CCP), IgG antibodies are present in about 69-83 percent of patients with rheumatoid arthritis (RA) and have specificities of 93-95 percent. These autoantibodies may be present in the preclinical phase of disease, are associated with future RA development, and may predict radiographic joint destruction. Patients with weak positive results should be monitored and testing repeated.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Rheumatoid Factor	20-174-114204	6/22/2020 6:51:00 AM	6/23/2020 10:09:20 AM	6/23/2020 1:57:00 PM
Cyclic Citrullinated Peptide Ab, IgG	20-174-114204	6/22/2020 6:51:00 AM	6/23/2020 10:09:20 AM	6/23/2020 11:19:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: