Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	8/19/2015
Gender:	Female
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Allergen, Food, Tilapia IgE

ARUP test code 2003296

Allergen, Food, Tilapia IgE — **9.84 kU/L H** (Ref Interval: <=0.34)

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Interpretation (Not Client Orderable)

ARUP test code 0055041

Allergen, Interp, Immunocap Score IgE — See Note

REFERENCE INTERVAL: Allergen, Interpretation

Less than 0.10 kU/L.....Class 0.....No significant level detected
0.10-0.34 kU/L.....Class 0/1...Clinical relevance undetermined
0.35-0.70 kU/L.....Class 1.....Low
0.71-3.50 kU/L.....Class 2.....Moderate
3.51-17.50 kU/L.....Class 3.....High
17.51-50.00 kU/L.....Class 4.....Very High
50.01-100.00 kU/L.....Class 5.....Very High
Greater than 100.00kU/L..Class 6.....Very High

Allergen results of 0.10-0.34 kU/L are intended for specialist use as the clinical relevance is undetermined. Even though increasing ranges are reflective of increasing concentrations of allergen-specific IgE, these concentrations may not correlate with the degree of clinical response or skin testing results when challenged with a specific allergen. The correlation of allergy laboratory results with clinical history and in vivo reactivity to specific allergens is essential. A negative test may not rule out clinical allergy or even anaphylaxis.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Tilapia IgE	24-222-126591	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Interp, Immunocap Score IgE	24-222-126591	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART