

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 12/22/1977

Gender: Male

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Protein C, Functional with Reflex to Protein C, Total and Protein S, Free with Reflex to Protein

ARUP test code 2003386

Protein C Functional 104 %

(Ref Interval: 83-168)

INTERPRETIVE INFORMATION: Protein C, Functional

Patients on warfarin may have decreased protein C values. Patients should be off warfarin therapy for two weeks for accurate measurement of protein C levels. Artificially increased functional protein C values may be due to heparin therapy or the presence of direct thrombin inhibitors or factor Xa inhibitors.

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory

(aruplab.com).

Protein S Ag Free 147 % (Ref Interval: 74-147)

INTERPRETIVE INFORMATION: Protein S Ag, FREE

Patients on warfarin may have decreased free protein S values. Patients should be off warfarin therapy for two weeks for accurate measurement of free protein S levels. Decreased leve of free protein S are also associated with DIC, liver disease, Decreased levels pregnancy, and inflammatory syndromes.

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Protein C Functional	22-227-130352	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Protein S Ag Free	22-227-130352	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical