

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/15/1946
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Bordetella pertussis Antibody, IgM by Immunoblot

ARUP test code 2004326

B. pertussis Ab, IgM Immunoblot Interp

Negative (Ref Interval: Negative)
No IgM antibodies against Bordetella FHA and PT detected.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

INTREPRETIVE INFORMATION: B. pertussis Antibody, IgM Immunoblot
This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

B. pertussis, IgM Immunoblot PT

Negative

B. pertussis, IgM Immunoblot FHA

Negative

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
B. pertussis Ab, IgM Immunoblot Interp	20-336-401179	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
B. pertussis, IgM Immunoblot PT	20-336-401179	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
B. pertussis, IgM Immunoblot FHA	20-336-401179	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: