

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/9/2019
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Leukocyte Adhesion Deficiency Panel

ARUP test code 2004359

% CD11b	99 %	(Ref Interval: 93-100)
	INTERPRETIVE INFORMATION: Leukocyte Adhesion Deficiency Panel	
	The Leukocyte Adhesion Deficiency Panel measures the receptors CD11b, CD15, and CD18 on neutrophils. The percentage of patient neutrophils bearing these receptors is reported. Although these receptors are normally found on neutrophils, values outside of the reference interval may correlate with abnormal neutrophil function. For example, CD18 is decreased or absent in Leukocyte Adhesion Deficiency (LAD) type I and CD15 is decreased or absent in LAD type II.	
	Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS	

% CD15	99 %	(Ref Interval: 91-100)
---------------	------	------------------------

% CD18	100 %	(Ref Interval: 98-100)
---------------	-------	------------------------

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
% CD11b	20-218-404836	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
% CD15	20-218-404836	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
% CD18	20-218-404836	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: