

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/2/1981
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Macroamylase Determination

ARUP test code 2004464

Amylase, Total 39 U/L (Ref Interval: 30-110)

Amylase, Monomeric 26 U/L (Ref Interval: 23-110)

INTERPRETIVE INFORMATION: Macroamylase Determination

An amylase, monomeric result above the upper reference limit is consistent with hyperamylasemia. An amylase, percent monomeric less than 71 percent suggests the presence of macroamylase.

Amylase, monomeric is determined after ultrafiltration. Macroamylase is removed by ultrafiltration and is not measured.

For confirmation of macroamylasemia, consider ordering Amylase, Urine (0020471).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Amylase, Percent Monomeric 67 % L (Ref Interval: >=71)

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Amylase, Total	20-322-402756	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Amylase, Monomeric	20-322-402756	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Amylase, Percent Monomeric	20-322-402756	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: