

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/25/1983
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Macroamylase Determination

ARUP test code 2004464

Amylase, Total 37 U/L (Ref Interval: 28-100)

Amylase, Monomeric 29 U/L (Ref Interval: 23-110)

INTERPRETIVE INFORMATION: Macroamylase Determination

An amylase, monomeric result above the upper reference limit is consistent with hyperamylasemia. An amylase, percent monomeric less than 71 percent suggests the presence of macroamylase.

Amylase, monomeric is determined after ultrafiltration. Macroamylase is removed by ultrafiltration and is not measured.

For confirmation of macroamylasemia, consider ordering Amylase, Urine (0020471).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Amylase, Percent Monomeric 78 % (Ref Interval: >=71)

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Amylase, Total	22-203-143506	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Amylase, Monomeric	22-203-143506	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Amylase, Percent Monomeric	22-203-143506	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-203-143506
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/4/2023 4:14:23 PM
4848