

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/17/1998  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Chymotrypsin, Fecal**

ARUP test code 2005160

Chymotrypsin, Fecal

8.3 U/g (Ref Interval: 2.3-51.4)

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Nichols Institute San Juan Capistrano. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performed by: Quest Diagnostics Nichols Institute  
33608 Ortega Highway  
San Juan Capistrano, CA 92675-2042

I Maramica MD, PhD, MBA,

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Chymotrypsin, Fecal	22-286-148215	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: