ARUP LABORATORIES
800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	12/31/1752
Sex:	Male
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

Urticaria-Inducing Activity with Thyroid Antibodies and Stimulating Hormone

ARUP test code 2005415

Thyroid Stimulating Hormone	500.00 mU/L	
Thyroid Peroxidase (TPO) Antibody	100.0 IU/mL H	(Ref Interval: 0.0-9.0)
Thyroglobulin Antibody	100.0 IU/mL H	(Ref Interval: 0.0-4.0)

INTERPRETIVE INFORMATION: Thyroglobulin Antibody

A value of 4.0 IU/mL or less indicates a negative result for thyroglobulin antibodies.

The Thyroglobulin Antibody assay is being performed using the Beckman Coulter Access DxI method.

Urticaria-Inducing Activity	50.0 Index Unit H	(Ref Interval: <=10.0)

INTERPRETIVE INFORMATION: Urticaria-Inducing Activity

A value of greater than 10 units suggests the presence of basophil stimulating autoantibodies (or other serum factors).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Thyroid Stimulating Hormone	26-093-109856	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Thyroid Peroxidase (TPO) Antibody	26-093-109856	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Thyroglobulin Antibody	26-093-109856	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Urticaria-Inducing Activity	26-093-109856	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical