

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/6/1987
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Urticaria-Induced Basophil Activation

ARUP test code 2005416

Urticaria-Induced Basophil Activation

36 % H (Ref Interval: <=27)

INTERPRETIVE INFORMATION: Urticaria-Induced Basophil Activation

27 percent or less: Negative - No basophil activation detected.
28-38 percent: Indeterminate - Borderline basophil activation detected.
39 percent or greater - Basophil activation detected.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Urticaria-Induced Basophil Activation	24-061-134501	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: