

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 5/4/1982

Gender: Female

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD

Collection Date: 00/00/0000 00:00

Trichomonas vaginalis by Transcription-Mediated Amplification (TMA)

ARUP test code 2005506

APTIMA Media Type Urine

Specimen Source Urine

T. vaginalis by TMA **Positive** * (Ref Interval: Negative)

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Interpretive Information: Trichomonas vaginalis by TMA

A negative result does not completely rule out infection with T. vaginalis.

Results should be interpreted in conjunction with other clinical data. This test has not been validated for use with self-collected vaginal swab specimens from patients. Performance of this test on vaginal swab specimens from pregnant women has not been evaluated.

This test is intended for medical purposes only and is not valid for the evaluation of suspected sexual abuse or for other forensic purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
APTIMA Media Type	19-220-401070	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Specimen Source	19-220-401070	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
T. vaginalis by TMA	19-220-401070	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical