

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/29/2004  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Estradiol, Free, by Dialysis and Mass Spectrometry**

ARUP test code 2006160

Estradiol, Free by Dialysis

5.0 pg/mL

INTERPRETIVE INFORMATION: Estradiol, Free by Dialysis

No reference intervals have been established for prepubertal females or for cisgender males. For a complete set of all established reference intervals, refer to [td.aruplab.com/Tests/Pub/2006160](http://td.aruplab.com/Tests/Pub/2006160).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Estradiol, Free by Dialysis	22-060-100744	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: