

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/29/1968
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Estradiol, Free, by Dialysis and Mass Spectrometry

ARUP test code 2006160

Estradiol, Free by Dialysis

0.5 pg/mL

REFERENCE INTERVAL: Estradiol, Free by Dialysis

Follicular Stage: less than 2.4 pg/mL
Mid-Cycle stage: less than 3.1 pg/mL
Luteal Stage: less than 2.6 pg/mL
Post Menopausal Stage: less than or equal to 0.5 pg/mL

INTERPRETIVE INFORMATION: Estradiol, Free by Dialysis

No reference intervals have been established for prepubertal females or for cisgender males. For a complete set of all established reference intervals, refer to td.aruplab.com/Tests/Pub/2006160.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Estradiol, Free by Dialysis	22-059-109276	2/28/2022 12:39:00 PM	2/28/2022 12:40:08 PM	2/28/2022 12:42:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-059-109276
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/6/2022 10:16:23 AM