

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/6/1985
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Glutathione Total

ARUP test code 2006328

Glutathione, Total

761 uM (Ref Interval: 373-838)

The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one. Testing Performed at: BioAgilytix Diagnostics 1320 Soldiers Field Road, Boston, MA 02135

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Glutathione, Total	21-253-402114	9/9/2021 8:55:00 AM	9/11/2021 12:57:07 PM	9/15/2021 8:50:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: