

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB10/30/1976  
Gender:Male  
Patient Identifiers:01234567890ABCD, 012345  
Visit Number (FIN):01234567890ABCD  
Collection Date:00/00/0000 00:00

Phosphatidylserine Antibodies, IgG and IgM  
ARUP test code 2006495

Phosphatidylserine Antibody IgG	8 GPS (Ref Interval: 0-15) INTERPRETIVE INFORMATION: Phosphatidylserine Ab, IgG <p>IgG and/or IgM antibodies to phosphatidylserine (aPS) may be associated with a positive test for anti-cardiolipin autoantibodies (aCL) and risk for obstetric antiphospholipid syndrome (APS). Strong clinical correlation is recommended in the absence of lupus anticoagulant, IgG and/or IgM cardiolipin and/or beta2 glycoprotein antibodies.</p> <p>Isolated presence of IgM or IgG antibodies to aPS may have questionable clinical significance for APS and/or SLE.</p> <p>If results are positive, repeat testing with two or more specimens drawn at least 12 weeks apart to demonstrate persistence of antibodies.</p> <p>Results should not be used alone for diagnosis and must be interpreted in light of APS-specific clinical manifestations and/or other criteria phospholipid antibody tests.</p>
Phosphatidylserine Antibody IgM	2 MPS (Ref Interval: 0-21) INTERPRETIVE INFORMATION: Phosphatidylserine Ab, IgM <p>The presence of IgG and/or IgM antibodies to phosphatidylserine (aPS) may be associated with a positive test for anti-cardiolipin autoantibodies (aCL) and risk for obstetric antiphospholipid syndrome (APS). Strong clinical correlation is recommended in the absence of lupus anticoagulant, IgG and/or IgM cardiolipin and/or beta2 glycoprotein antibodies.</p> <p>Isolated presence of IgM or IgG antibodies to aPS may have questionable clinical significance for APS and/or SLE.</p> <p>If results are positive, repeat testing with two or more specimens drawn at least 12 weeks apart to demonstrate persistence of antibodies.</p> <p>Results should not be used alone for diagnosis and must be interpreted in light of APS-specific clinical manifestations and/or other criteria phospholipid antibody tests.</p>

H=High, L=Low, \*=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Phosphatidylserine Antibody IgG	24-134-145305	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Phosphatidylserine Antibody IgM	24-134-145305	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical