

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/28/1938
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Thyroglobulin by LC-MS/MS, Serum or Plasma

ARUP test code 2006550

Thyroglobulin by LC-MS/MS, Serum/Plasma **189.0 ng/mL H** (Ref Interval: 1.3-31.8)

Results obtained with different test methods or kits cannot be used interchangeably. Thyroglobulin results, regardless of concentration, should not be interpreted as absolute evidence for the presence or absence of papillary or follicular thyroid cancer. Thyroglobulin testing is not recommended for use as a screening procedure to detect the presence of thyroid cancer in the general population.

INTERPRETIVE INFORMATION: Thyroglobulin by LC-MS/MS, Serum/Plasma

Lower limit of detection for Thyroglobulin by LC-MS/MS is 0.5 ng/mL.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Thyroglobulin by LC-MS/MS, Serum/Plasma	20-169-133247	6/17/2020 11:50:00 AM	6/19/2020 2:46:34 AM	6/22/2020 2:51:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-169-133247
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/6/2022 10:16:26 AM