

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/1/2004  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Porphyryns, Total with Reflex to Porphyryns Fractionation, Plasma**

ARUP test code 2006593

Porphyryns Total, Plasma <1.0 mcg/dL (Ref Interval: <=1.0)

Porphyryns Total - Review SEE NOTE  
RESULT:

Porphyryns Total - Interpretation SEE NOTE  
Total plasma porphyryns are normal, fractionation not performed.

-----ADDITIONAL INFORMATION-----  
Spectrofluorometry  
This test was developed and its performance characteristics determined by Mayo Clinic in a manner consistent with CLIA requirements. This test has not been cleared or approved by the U.S. Food and Drug Administration.

Test Performed by:  
Mayo Clinic Laboratories - Rochester Main Campus  
200 First Street SW, Rochester, MN 55905  
Lab Director: Nikola A. Baumann Ph.D.; CLIA# 24D0404292

**H=High, L=Low, \*=Abnormal, C=Critical**

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Porphyryns Total, Plasma	24-164-119590	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Porphyryns Total - Review	24-164-119590	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Porphyryns Total - Interpretation	24-164-119590	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 24-164-119590  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 6/21/2024 8:34:36 AM  
4848