

Patient: [REDACTED]
 DOB: [REDACTED] Age: 0 Gender: M
 Patient Identifiers [REDACTED]
 Visit Number (FIN): [REDACTED]

Client: ARUP Example Report Only
 500 Chipeta Way
 Salt Lake City, UT 84108

ARUP Test Code: 2006621
 Collection Date: 05/23/2019
 Received in lab: 05/23/2019
 Completion Date: 05/23/2019

Patient Results*

Collection Date	5/23/2019 12:26 PM
Oxycodone	Present
Oxymorphone	Present
Noroxycodone	Present
Noroxymorphone	Present
Gabapentin	Present

* For details, see report on following page(s).

Interpretive Comments

INTERPRETIVE INFORMATION: Drug Detection Panel, Umbilical Cord Tissue, Qualitative

Methodology: Qualitative Liquid Chromatography/Tandem Mass Spectrometry

Detection of drugs in umbilical cord tissue is intended to reflect maternal drug use during approximately the last trimester of a full-term pregnancy. The pattern and frequency of drug(s) used by the mother cannot be determined by this test. A negative result does not exclude the possibility that a mother used drugs during pregnancy. Detection of drugs in umbilical cord tissue depends on extent of maternal drug use, as well as drug stability, unique characteristics of drug deposition in umbilical cord tissue, and the performance of the analytical method. Drugs administered during labor and delivery may be detected. Detection of drugs in umbilical cord tissue does not insinuate impairment and may not affect outcomes for the infant. Interpretive questions should be directed to the laboratory.

For marijuana metabolite, order Marijuana Metabolite, Umbilical Cord Tissue, Qualitative (ARUP test code 3000256). For alcohol metabolite, order Ethyl Glucuronide, Umbilical Cord Tissue, Qualitative (ARUP test code 3000443).

See Compliance Statement B: aruplab.com/CS

For further information, visit: arupconsult.com/content/newborn-drug-testing



Patient: [REDACTED]
 ARUP Accession: 19-143-109160

Drug Detection Panel, Umbilical Cord Tissue, Qualitative

Patient: [REDACTED] | Date of Birth: [REDACTED] | Gender: M | Physician: [REDACTED]
 Patient Identifiers [REDACTED] Number (FIN): [REDACTED]

Drug Analyte	Result	Cutoff	Notes
OPIOIDS, UMBILICAL CORD			
Buprenorphine	Not Detected	1 ng/g	eg, Buprenex; Subutex; Suboxone (with naloxone)
--Norbuprenorphine	Not Detected	0.5 ng/g	buprenorphine metabolite
Codeine	Not Detected	0.5 ng/g	
Morphine	Not Detected	0.5 ng/g	also a metabolite of Codeine
6-Acetylmorphine	Not Detected	1 ng/g	heroin metabolite; morphine is expected
Hydrocodone	Not Detected	0.5 ng/g	also a minor metabolite of codeine; possible impurity of oxycodone
--Dihydrocodeine	Not Detected	1 ng/g	hydrocodone metabolite
--Norhydrocodone	Not Detected	1 ng/g	hydrocodone metabolite
Hydromorphone	Not Detected	0.5 ng/g	eg, Dilaudid; also a metabolite of hydrocodone, and a minor metabolite of morphine
Fentanyl	Not Detected	0.5 ng/g	
Meperidine	Not Detected	2 ng/g	eg, Demerol
Methadone	Not Detected	2 ng/g	
--EDDP	Not Detected	1 ng/g	methadone metabolite
Oxycodone	Present	0.5 ng/g	eg, Oxycontin
--Noroxycodone	Present	1 ng/g	oxycodone metabolite
Oxymorphone	Present	0.5 ng/g	eg, Opana; also a metabolite of oxycodone
--Noroxymorphone	Present	0.5 ng/g	oxymorphone metabolite; also potential metabolite of oxycodone
Naloxone	Not Detected	1 ng/g	opioid antagonist
Propoxyphene	Not Detected	1 ng/g	eg, Darvon
Tapentadol	Not Detected	2 ng/g	eg, Nucynta
Tramadol	Not Detected	2 ng/g	eg, Ultram; ConZip
--N-desmethyltramadol	Not Detected	2 ng/g	tramadol metabolite
--O-desmethyltramadol	Not Detected	2 ng/g	tramadol metabolite
STIMULANTS, UMBILICAL CORD			
Amphetamine	Not Detected	5 ng/g	eg, Vyvanse; Adderall; also a metabolite of methamphetamine; d- and l-isomers are not distinguished by this test
Methamphetamine	Not Detected	5 ng/g	d- and l- isomers are not distinguished by this test
MDMA - Ecstasy	Not Detected	5 ng/g	
Cocaine	Not Detected	0.5 ng/g	
--Benzoylecgonine	Not Detected	0.5 ng/g	cocaine metabolite
--m-OH-Benzoylecgonine	Not Detected	1 ng/g	cocaine metabolite
--Cocaethylene	Not Detected	1 ng/g	cocaine metabolite formed in the presence of ethanol
Phentermine	Not Detected	8 ng/g	



Patient: [REDACTED]
 ARUP Accession: 19-143-109160

Drug Detection Panel, Umbilical Cord Tissue, Qualitative

Patient: [REDACTED] | Date of Birth: [REDACTED] | Gender: M | Physician: [REDACTED]
 Patient Identifiers [REDACTED] | Visit Number (FIN): [REDACTED]

Drug Analyte	Result	Cutoff	Notes
SEDATIVES-HYPNOTICS, UMBILICAL CORD			
Alprazolam	Not Detected	0.5 ng/g	eg, Xanax
--Alpha-OH-Alprazolam	Not Detected	0.5 ng/g	alprazolam metabolite
Butalbital	Not Detected	25 ng/g	eg, Bupap (with acetaminophen); Fioricet (with acetaminophen and caffeine)
Clonazepam	Not Detected	1 ng/g	eg, Klonopin
--7-Aminoclonazepam	Not Detected	1 ng/g	clonazepam metabolite
Lorazepam	Not Detected	5 ng/g	eg, Ativan
Midazolam	Not Detected	1 ng/g	eg, Versed
--Alpha-OH-Midazolam	Not Detected	2 ng/g	midazolam metabolite
Diazepam	Not Detected	1 ng/g	eg, Valium
Nordiazepam	Not Detected	1 ng/g	metabolite of chlordiazepoxide (Librium), clorazepate (Tranxene), diazepam, halazepam (Alapryl), prazepam (Centrax) and others
Oxazepam	Not Detected	2 ng/g	eg, Serax; also metabolite of nordiazepam and temazepam
Temazepam	Not Detected	1 ng/g	eg, Restoril; also a metabolite of diazepam
Phenobarbital	Not Detected	75 ng/g	eg, Luminal; Donnatal (with atropine, hyoscyamine and scopolamine)
Zolpidem	Not Detected	0.5 ng/g	eg, Ambien
OTHER, UMBILICAL CORD			
Phencyclidine- PCP	Not Detected	1 ng/g	phencyclidine
Gabapentin	Present	10 ng/g	eg, Neurontin or Gralise

Additional Information

ABBREVIATIONS

MDMA - 3,4-methylenedioxy-N-methylamphetamine
 EDDP - 2-ethylidene-1,5-dimethyl-3,3-diphenylpyrrolidine



Patient: [REDACTED]
 ARUP Accession: 19-143-109160