

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/5/1957
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Vitamin B5 (Pantothenic Acid), Serum

ARUP test code 2006982

Vitamin B5 (Pantothenic Acid), Serum **205.36 ug/L H (Ref Interval: 37.00-147.00)**

Adult Reference Range
>10 Years 37 - 147 ug/L
Pediatric Reference Range
< or = 1 Year : 3.45 to 825 ug/L
>1 Year to 10 Years: 3.45 to 229.2 ug/L
The performance characteristics of the listed assay was validated by BioAgilytix Diagnostics. The US FDA has not approved or cleared this test. The results of this assay can be used for clinical diagnosis without FDA approval. BioAgilytix Diagnostics is a CLIA certified, CAP accredited laboratory for performing high complexity assays such as this one.
Testing Performed at: BioAgilytix Diagnostics 1320 Soldiers Field Road, Boston, MA 02135

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Vitamin B5 (Pantothenic Acid), Serum	21-251-121314	9/8/2021 10:55:00 AM	9/10/2021 1:19:22 PM	9/15/2021 2:55:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: