

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/12/1959  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Cotinine Screen, Urine**

ARUP test code 2007081

Cotinine, Urn, Screen

Positive ng/mL (Ref Interval: Cutoff 100)

INTERPRETIVE DATA: Cotinine Screen, Urine

Cotinine is a metabolite of nicotine and may be detected up to seven days after nicotine exposure. The cut-off is set at 100 ng/mL to detect active exposure (smoking). This assay will not distinguish between tobacco use and nicotine replacement therapy.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cotinine, Urn, Screen	19-337-136339	12/3/2019 9:22:00 AM	12/5/2019 7:30:26 AM	12/5/2019 12:58:00 PM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: