

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 11/15/2005  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Adenovirus, Quantitative PCR**

ARUP test code 2007192

Adenovirus, Quant. Source	Plasma
Adenovirus, Quant. Copy/mL	<1000 cpy/mL
Adenovirus, Quant. Log copy/mL	<3.0 log cpy/mL

**Adenovirus, Quant. Interp**      **Not Detected**      (Ref Interval: Not Detected)

NOT DETECTED - A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.

INTERPRETIVE INFORMATION: Adenovirus, Quantitative PCR

The quantitative range of this test is 3.0-7.0 log copies/mL (1,000-10,000,000 copies/mL).

A negative result (less than 3.0 log copies/mL or less than 1,000 copies/mL) does not rule out the presence of PCR inhibitors in the patient specimen or Adenovirus DNA concentrations below the level of detection of the test. Inhibition may also lead to underestimation of viral quantitation.

No international standard is currently available for calibration of this test. Caution should be taken when interpreting results generated by different test methodologies.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Adenovirus, Quant. Source	22-217-126971	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Adenovirus, Quant. Copy/mL	22-217-126971	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Adenovirus, Quant. Log copy/mL	22-217-126971	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Adenovirus, Quant. Interp	22-217-126971	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-217-126971  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 8/10/2022 2:27:10 PM  
4848