

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 12/26/1991  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Allergens, Food, Extended Panel IgG**

ARUP test code 2007213

Allergen, Food, Baker's Yeast IgG

<2.00 mcg/mL (Ref Interval: <=11.40)

INTERPRETIVE INFORMATION: Allergen, Food, Baker's Yeast IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Barley IgG

<2.00 mcg/mL (Ref Interval: <=20.30)

INTERPRETIVE INFORMATION: Allergen, Food, Barley IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Beef IgG

<2.00 mcg/mL (Ref Interval: <=22.00)

INTERPRETIVE INFORMATION: Allergen, Food, Beef IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Chicken IgG

<2.00 mcg/mL (Ref Interval: <=6.24)

**H=High, L=Low, \*=Abnormal, C=Critical**

INTERPRETIVE INFORMATION: Allergen, Food, Chicken IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Chocolate IgG

<2.00 mcg/mL (Ref Interval: <=20.40)

INTERPRETIVE INFORMATION: Allergen, Food, Chocolate IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Corn IgG

<2.00 mcg/mL (Ref Interval: <=10.49)

INTERPRETIVE INFORMATION: Allergen, Food, Corn IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Egg White IgG

<2.00 mcg/mL (Ref Interval: <=15.69)

INTERPRETIVE INFORMATION: Allergen, Food, Egg White IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Lettuce IgG

<2.00 mcg/mL (Ref Interval: <=11.30)

INTERPRETIVE INFORMATION: Allergen, Food, Lettuce IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Malt IgG

<2.00 mcg/mL (Ref Interval: <=22.30)

**H=High, L=Low, \*=Abnormal, C=Critical**

INTERPRETIVE INFORMATION: Allergen, Food, Malt IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Casein (Cow's Milk) IgG

<2.00 mcg/mL (Ref Interval: <=38.69)

INTERPRETIVE INFORMATION: Allergen, Food, Casein (Cow's Milk) IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Oat IgG

<2.00 mcg/mL (Ref Interval: <=13.29)

INTERPRETIVE INFORMATION: Allergen, Food, Oat IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Orange IgG

<2.00 mcg/mL (Ref Interval: <=8.64)

INTERPRETIVE INFORMATION: Allergen, Food, Orange IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Peanut IgG

<2.00 mcg/mL (Ref Interval: <=6.79)

INTERPRETIVE INFORMATION: Allergen, Food, Peanut IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Pork IgG

<2.00 mcg/mL (Ref Interval: <=7.91)

**H=High, L=Low, \*=Abnormal, C=Critical**

INTERPRETIVE INFORMATION: Allergen, Food, Pork IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Potato White IgG

<2.00 mcg/mL (Ref Interval: <=6.08)

INTERPRETIVE INFORMATION: Allergen, Food, Potato White IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Rye IgG

<2.00 mcg/mL (Ref Interval: <=26.70)

INTERPRETIVE INFORMATION: Allergen, Food, Rye IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Soybean IgG

<2.00 mcg/mL (Ref Interval: <=5.29)

INTERPRETIVE INFORMATION: Allergen, Food, Soybean IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Tomato IgG

<2.00 mcg/mL (Ref Interval: <=7.19)

INTERPRETIVE INFORMATION: Allergen, Food, Tomato IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Wheat IgG

<2.00 mcg/mL (Ref Interval: <=60.19)

**H=High, L=Low, \*=Abnormal, C=Critical**

**INTERPRETIVE INFORMATION: Allergen, Food, Wheat IgG**

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**VERIFIED/REPORTED DATES**

Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Baker's Yeast IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Barley IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Beef IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Chicken IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Chocolate IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Corn IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Egg White IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Lettuce IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Malt IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Casein (Cow's Milk) IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Oat IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Orange IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Peanut IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Pork IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Potato White IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Rye IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Soybean IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Tomato IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Wheat IgG	22-262-108095	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

**END OF CHART**

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*