

Client: Example Client ABC123
123 Test Drive

Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example** 

**DOB** 12/26/1991 **Gender:** Female

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## Allergens, Food, Extended Panel IgG

ARUP test code 2007213

Allergen, Food, Baker's Yeast IgG

55.00 mcg/mL H (Ref Interval: <=11.40)

INTERPRETIVE INFORMATION: Allergen, Food, Baker's Yeast IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Barley IgG

50.00 mcg/mL H (Ref Interval: <=20.30)

INTERPRETIVE INFORMATION: Allergen, Food, Barley IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Beef IgG

50.00 mcg/mL H (Ref Interval: <=22.00)

INTERPRETIVE INFORMATION: Allergen, Food, Beef IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific  ${\tt IgG}$  antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Allergen, Food, Chicken IgG

50.00 mcg/mL

Н

(Ref Interval: <=6.24)



Allergen, Food, Malt IgG	55.00 mcg/mL H (Ref Interval: <=22.30)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
Thiergen, 1 ood, Lettuce 150	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
	INTERPRETIVE INFORMATION: Allergen, Food, Lettuce IgG
Allergen, Food, Lettuce IgG	55.00 mcg/mL H (Ref Interval: <=11.30)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
_	INTERPRETIVE INFORMATION: Allergen, Food, Egg White IgG
Allergen, Food, Egg White IgG	50.00 mcg/mL H (Ref Interval: <=15.69)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
	INTERPRETIVE INFORMATION: Allergen, Food, Corn IgG
Allergen, Food, Corn IgG	50.00 mcg/mL H (Ref Interval: <=10.49)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
	INTERPRETIVE INFORMATION: Allergen, Food, Chocolate IgG
Allergen, Food, Chocolate IgG	55.00 mcg/mL H (Ref Interval: <=20.40)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.



INTERPRETIVE INFORMATION: Allergen, Food, Malt IgG Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. 50.00 mcg/mL Allergen, Food, Casein (Cow's Milk) IgG Н (Ref Interval: <=38.69) INTERPRETIVE INFORMATION: Allergen, Food, Casein
 (Cow's Milk) IgG Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. Allergen, Food, Oat IgG 50.00 mcg/mL Н (Ref Interval: <=13.29) INTERPRETIVE INFORMATION: Allergen, Food, Oat IgG Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. 55.00 mcg/mLAllergen, Food, Orange IgG (Ref Interval: <=8.64) INTERPRETIVE INFORMATION: Allergen, Food, Orange IgG Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. 50.00 mcg/mL Allergen, Food, Peanut IgG Н (Ref Interval: <=6.79) INTERPRETIVE INFORMATION: Allergen, Food, Peanut IgG Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. Allergen, Food, Pork IgG 55.00 mcg/mL Н (Ref Interval: <=7.91)



Allergen, Food, Wheat IgG	100.00 mcg/mL H (Ref Interval: <=60.19)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
	INTERPRETIVE INFORMATION: Allergen, Food, Tomato IgG
Allergen, Food, Tomato IgG	50.00 mcg/mL H (Ref Interval: <=7.19)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
	INTERPRETIVE INFORMATION: Allergen, Food, Soybean IgG
Allergen, Food, Soybean IgG	50.00 mcg/mL H (Ref Interval: <=5.29)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	levels of allergen-specific IgG antibody.
	Values less than 2.00 mcg/mL represent absent or undetectable
Allergen, Food, Rye IgG	85.00 mcg/mL H (Ref Interval: <=26.70) INTERPRETIVE INFORMATION: Allergen, Food, Rye IgG
	approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.
	INTERPRETIVE INFORMATION: Allergen, Food, Potato White IgG
Allergen, Food, Potato White IgG	50.00 mcg/mL H (Ref Interval: <=6.08)
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.
	Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.



INTERPRETIVE INFORMATION: Allergen, Food, Wheat IgG

Values less than 2.00 mcg/mL represent absent or undetectable levels of allergen-specific IgG antibody.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

		VERIFIED/REPORTED DATE	TES	
Procedure	Accession	Collected	Received	Verified/Reported
Allergen, Food, Baker's Yeast IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Barley IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Beef IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Chicken IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Chocolate IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Corn IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Egg White IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Lettuce IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Malt IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Casein (Cow's Milk) IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Oat IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Orange IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Peanut IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Pork IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Potato White IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Rye IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Soybean IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Tomato IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Allergen, Food, Wheat IgG	22-262-108054	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Patient: Patient, Example
ARUP Accession: 22-262-108054
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 5 of 5 | Printed: 9/19/2022 3:09:38 PM
4848