

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/11/1989
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Manganese, RBC

ARUP test code 2007254

Manganese, RBC

None Det mcg/L

RBCs
Reporting Limit: 11 mcg/L
Comment:
Result verified by repeat analysis.
NMS Labs derived data:
2.5th - 97.5th percentile range is
4.7 to 20 mcg/L (n=2022).
The RBC sample used for analysis was measured by weight
and multiplied by the density of human RBC (1.10 g/mL)
to obtain mcg/L units.
Analysis by Inductively Coupled Plasma/Mass
Spectrometry (ICP/MS)
Disclaimer: Specimens for elemental testing should be
collected in certified metal-free containers. Elevated
results for elemental testing may be caused by
environmental contamination at the time of specimen
collection and should be interpreted accordingly. It
is recommended that unexpected elevated results be
verified by testing another specimen.
Testing performed at NMS Labs, Inc.
3701 Welsh Road
Willow Grove, PA 19090-2910
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Manganese, RBC	18-169-110529			

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical