

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/18/1994
Sex: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Pipecolic Acid, Serum or Plasma

ARUP test code 2007406

Pipecolic Acid, Serum/Plasma 0.8 umol/L (Ref Interval: <=6.3)

Pipecolic Acid Ser/Plas Interpretation Normal
TEST INFORMATION: Pipecolic Acid, Serum or Plasma
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Pipecolic Acid, Serum/Plasma	20-066-401193	3/3/2020 2:20:00 PM	3/6/2020 12:01:33 PM	3/16/2020 2:56:00 PM
Pipecolic Acid Ser/Plas Interpretation	20-066-401193	3/3/2020 2:20:00 PM	3/6/2020 12:01:33 PM	3/16/2020 2:56:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-066-401193
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 12/21/2022 10:41:09 AM