

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/18/1942
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Iodine, Serum

ARUP test code 2007463

Iodine, Serum

1629.9 ug/L H (Ref Interval: 40.0-92.0)

INTERPRETIVE INFORMATION: Iodine_Serum

Values greater than 250 ug/L may indicate iodine overload.

Elevated results may be due to skin or collection-related contamination, including the use of a noncertified metal-free collection/transport tube. If contamination concerns exist due to elevated levels of serum iodine, confirmation with a second specimen collected in a certified metal-free tube is recommended.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the U.S. Food and Drug Administration. This test was performed in a CLIA-certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Iodine, Serum	23-341-150913	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: