

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/15/1984  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Hepatitis B Virus Surface Antigen Confirmation, Prenatal**

ARUP test code 2007575

Hepatitis B Surface Ag Confirm, Prenatal

Non Confirmed (Ref Interval: Non Confirmed)  
Hepatitis B surface antigen (HBSAg) failed to neutralize using anti-HBs. This specimen is therefore **NEGATIVE** for HBSAg.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Ag Confirm, Prenatal	19-269-400867	9/25/2019 11:40:00 AM	9/26/2019 1:59:54 PM	9/26/2019 9:14:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: