

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 5/24/1948

**Gender:** Female

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD

**Collection Date:** 01/01/2017 12:34

**Hepatitis B Virus Surface Antigen Confirmation, Prenatal**

ARUP test code 2007575

Hepatitis B Surface Ag Confirm, Prenatal

Non Confirmed

(Ref Interval: Non Confirmed)

Hepatitis B surface antigen (HBsAg) failed to neutralize using anti-HBs. This specimen is therefore NEGATIVE for HBsAg.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Ag Confirm, Prenatal	18-145-104387	5/25/2018 10:07:00 AM	5/25/2018 10:11:57 AM	5/25/2018 10:52:00 AM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical