

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 5/24/1948

Gender: Male

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD

Collection Date: 01/01/2017 12:34

Hepatitis B Virus Surface Antigen Confirmation, Prenatal

ARUP test code 2007575

Hepatitis B Surface Ag Confirm, Prenatal

Positive * (Ref Interval: Non Confirmed)

Hepatitis B surface antigen (HBsAg) did neutralize using anti-HBs. This specimen is therefore POSITIVE for HBsAg. False positives can occur. If the result is not supported by clinical evidence, repeat testing of a new sample usually helps clarify the diagnosis.

INTERPRETIVE INFORMATION: Hepatitis B Virus Surface Antigen Confirmation, Prenatal

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular and Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis B Surface Ag Confirm, Prenatal	18-145-104386	5/25/2018 10:08:00 AM	5/25/2018 10:11:57 AM	5/25/2018 10:52:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical