

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/29/1961
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Ethyl Glucuronide Screen with Reflex to Confirmation, Urine

ARUP test code 2007912

Ethyl Glucuronide Screen w/Rflx, Urine

Negative ng/mL (Ref Interval: Cutoff 500)

INTERPRETIVE INFORMATION: Ethyl Glucuronide Screen with Reflex to Confirmation, Urine

Ethyl glucuronide is a direct metabolite of ethanol and can be detected up to 80 hours in urine after ethanol ingestion. The cutoff for positive by immunoassay is set at 500 ng/mL. A positive result will be confirmed by liquid chromatography tandem mass spectrometry (LC-MS/MS).

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Ethyl Glucuronide Screen w/Rflx, Urine	23-343-101833	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: