

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

**DOB** 8/28/1955

**Gender:** Male

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD **Collection Date:** 00/00/0000 00:00

## Motor and Sensory Neuropathy Evaluation with Immunofixation Electrophoresis and Reflex to Titer and Neuronal Immunoblot

ARUP test code 2007967

MAG Antibody, IgM Elisa

<1000 TU

(Ref Interval: 0-999)

INTERPRETIVE INFORMATION: MAG Antibody, IgM ELISA

An elevated IgM antibody concentration greater than 999 TU against myelin-associated glycoprotein (MAG) suggests active demyelination in peripheral neuropathy. A normal concentration (less than 999 TU) generally rules out an anti-MAG antibody-associated peripheral neuropathy.

TU=Titer Units

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

SGPG Antibody, IgM

0.07 IV

(Ref Interval: 0.00-0.99)

INTERPRETIVE INFORMATION: SGPG Antibody, IgM

The majority of sulfate-3-glucuronyl paragloboside (SGPG) IgM-positive

sera will show reactivity against MAG. Patients who are SGPG IgM positive and MAG IgM negative may have multi-focal motor

neuropathy

with conduction block.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

Purkinje Cell/Neuronal Nuclear IgG Scrn

None Detected

(Ref Interval: None Detected)

ANNA-1, ANNA-2, PCCA-1 or PCCA-Tr(DNER) antibodies not detected. No further testing will be performed.

H=High, L=Low, \*=Abnormal, C=Critical

4848



	INTERPRETIVE INFORMATION: Purkinje Cell/Neuronal Nuclear IgG Scrr			
	This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.			
Asialo-GM1 Antibodies, IgG/IgM	54 IV H	(Ref Interval: 0-50)		
GM1 Antibodies, IgG/IgM	10 IV	(Ref Interval: 0-50)		
GD1a Antibodies, IgG/IgM	42 IV	(Ref Interval: 0-50)		
GD1b Antibodies, IgG/IgM	10 IV	(Ref Interval: 0-50)		
GQ1b Antibodies, IgG/IgM	11 IV (Ref Interval: 0-50) INTERPRETIVE INFORMATION: Ganglioside (Asialo-GM1, GM1, GM2, GD1a, GD1b, and GQ1b) Antibodies, IgG/IgM  29 IV or less: Negative 30-50 IV: Equivocal 51-100 IV: Positive 101 IV or greater: Strong Positive			
	Ganglioside antibodies are associated with diverse peripheral neuropathies. Elevated antibody levels to ganglioside-monosialic acid (GM1), and the neutral glycolipid, asialo GM1 are associated with motor or sensorimotor neuropathies, particularly multifocal motor neuropathy. Anti-GM1 may occur as IgM (polyclonal or monoclonal) or IgG antibodies. These antibodies may also be found in patients with diverse connective tissue diseases as well as normal individuals. GD1a antibodies are associated with different variants of Guillain-Barre syndrome (GBS) particularly acute motor axonal neuropathy while GD1b antibodies are predominantly found in sensory ataxic neuropathy syndrome. Anti-GQ1b antibodies are seen in more than 80 percent of patients with Miller-Fisher syndrome and may be elevated in GBS patients with ophthalmoplegia. The role of isolated anti-GM2 antibodies is unknown. These tests by themselves are not diagnostic and should be used in conjunction with other clinical parameters to confirm disease.			
	determined by ARUP La approved by the US Fo	ped and its performance characteristics aboratories. It has not been cleared or ood and Drug Administration. This test was certified laboratory and is intended for		
EER Motor Sensory Neuropathy Comp	See Note			
		-		

H=High, L=Low, \*=Abnormal, C=Critical

Authorized individuals can access the ARUP Enhanced Report using the following link:



Immunoglobulin G	1506 mg/dL	(Ref Interval: 768-1632)	
Immunoglobulin A	511 mg/dL H	(Ref Interval: 68-408)	
Immunoglobulin M	55 mg/dL	(Ref Interval: 35-263)	
Total Protein, Serum	7.0 g/dL	(Ref Interval: 6.3-8.2)	
Albumin	3.82 g/dL	(Ref Interval: 3.75-5.01)	
Alpha 1 Globulin	0.25 g/dL	(Ref Interval: 0.19-0.46)	
Alpha 2 Globulin	0.55 g/dL	(Ref Interval: 0.48-1.05)	
Beta Globulin	0.99 g/dL	(Ref Interval: 0.48-1.10)	
Gamma	1.39 g/dL	(Ref Interval: 0.62-1.51)	
Monoclonal Protein	Not Applicable g/dL		
Immunofixation	IFE Done		
SPEP/IFE Interpretation	See Note  Normal SPEP pattern. IFE gel shows a normal pattern; no monoclonal proteins seen.		

H=High, L=Low, \*=Abnormal, C=Critical



VERIFIED/REPORTED DATES							
Procedure	Accession	Collected	Received	Verified/Reported			
MAG Antibody, IgM Elisa	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
SGPG Antibody, IgM	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Purkinje Cell/Neuronal Nuclear IgG Scrn	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Asialo-GM1 Antibodies, IgG/IgM	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
GM1 Antibodies, IgG/IgM	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
GD1a Antibodies, IgG/IgM	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
GD1b Antibodies, IgG/IgM	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
GQ1b Antibodies, IgG/IgM	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
EER Motor Sensory Neuropathy Comp	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Immunoglobulin G	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Immunoglobulin A	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Immunoglobulin M	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Total Protein, Serum	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Albumin	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Alpha 1 Globulin	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Alpha 2 Globulin	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Beta Globulin	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Gamma	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Monoclonal Protein	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
Immunofixation	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			
SPEP/IFE Interpretation	24-042-103497	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00			

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical