

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/9/1959
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Triiodothyronine, Total and Triiodothyronine, Reverse with Ratio Calculation by Tandem Mass Spectrometry

ARUP test code 2008406

Triiodothyronine, Reverse - LC-MS/MS **166.1 ng/dL** **H** **(Ref Interval: 9.0-27.0)**
INTERPRETIVE INFORMATION: Triiodothyronine, Reverse - LC-MS/MS
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Triiodothyronine, Total - LC-MS/MS **31 ng/dL** **L** **(Ref Interval: 80-200)**
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Triiodothyronine, Ratio (T3:RT3) **0.2** **L** **(Ref Interval: 4.2-11.0)**

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Triiodothyronine, Reverse - LC-MS/MS	20-136-122321	5/15/2020 2:30:00 PM	5/16/2020 1:28:02 PM	5/20/2020 10:07:00 AM
Triiodothyronine, Total - LC-MS/MS	20-136-122321	5/15/2020 2:30:00 PM	5/16/2020 1:28:02 PM	5/20/2020 10:07:00 AM
Triiodothyronine, Ratio (T3:RT3)	20-136-122321	5/15/2020 2:30:00 PM	5/16/2020 1:28:02 PM	5/20/2020 10:07:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-136-122321
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/6/2022 10:17:54 AM