

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/12/1962
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

11-Deoxycorticosterone Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 2008458

11-Deoxycorticosterone, HPLC-MS/MS

5.75 ng/dL

REFERENCE INTERVAL: 11-Deoxycorticosterone Quantitative
by HPLC-MS/MS, Serum or Plasma
Access complete set of age- and/or gender-specific reference
intervals for this test in the ARUP Laboratory Test Directory
(aruplab.com).

This test was developed and its performance characteristics
determined by ARUP Laboratories. It has not been cleared or
approved by the US Food and Drug Administration. This test was
performed in a CLIA certified laboratory and is intended for
clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
11-Deoxycorticosterone, HPLC-MS/MS	22-206-113982	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: