

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/25/1951
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Fluoroquinolone-Resistant Organism, Culture

ARUP test code 2008476

Collected: 00/00/0000 00:00 MT
Started: 00/00/0000 00:00 MT

Source: **Rectal**

Body Site: **Rectal**

Free Text Sources: **Rectum Swab**

Final Report

Culture negative for fluoroquinolone-resistant organisms

Interpretive Results

This test is not intended for screening donor material.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Fluoroquinolone-Resistant Organism, Culture	22-167-117558	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

S=Susceptible, I=Intermediate, R=Resistant, NonS=Nonsusceptible, IND=Indeterminate, SDD=Susceptibility is dose dependent, None=Interpretive guidelines are not available

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: