

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 5/27/1993  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Progesterone Quantitative by HPLC-MS/MS, Serum or Plasma**

ARUP test code 2008509

Progesterone, HPLC-MS/MS 37.78 ng/mL

Females, 17 years and older  
Cycle Days Reference Interval (ng/mL)  
1 - 6 ..... Less than or equal to 0.17  
7 - 12 ..... Less than or equal to 1.35  
13 - 15 ..... Less than or equal to 15.63  
16 - 28 ..... Less than or equal to 25.55  
Post-Menopausal ..... Less than or equal to 0.10

Pregnancy Reference Intervals (ng/mL):  
1st Trimester ..... 6.25 - 45.46  
2nd Trimester ..... 15.40 - 52.10  
3rd Trimester ..... 24.99 - 99.92

REFERENCE INTERVAL: Progesterone Quantitative by HPLC-MS/MS, Serum or Plasma  
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Progesterone, HPLC-MS/MS	20-198-106861	7/16/2020 10:48:00 AM	7/16/2020 3:33:08 PM	7/23/2020 8:36:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: