

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/17/1985
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Progesterone Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 2008509

Progesterone, HPLC-MS/MS <0.10 ng/mL

Females, 17 years and older
Cycle Days Reference Interval (ng/mL)
1 - 6 Less than or equal to 0.17
7 - 12 Less than or equal to 1.35
13 - 15 Less than or equal to 15.63
16 - 28 Less than or equal to 25.55
Post-Menopausal Less than or equal to 0.10

Pregnancy Reference Intervals (ng/mL):
1st Trimester 6.25 - 45.46
2nd Trimester 15.40 - 52.10
3rd Trimester 24.99 - 99.92

REFERENCE INTERVAL: Progesterone Quantitative by HPLC-MS/MS, Serum or Plasma
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Progesterone, HPLC-MS/MS	20-204-142861	7/22/2020 9:23:00 AM	7/23/2020 1:28:30 PM	7/27/2020 5:24:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: