

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB8/3/2023

Gender:Male

Patient Identifiers:01234567890ABCD, 012345

Visit Number (FIN):01234567890ABCD

Collection Date:00/00/0000 00:00

Cytomegalovirus by Qualitative PCR, Saliva

ARUP test code 2008555

Cytomegalovirus PCR Source

Saliva

Cytomegalovirus by PCR, Saliva

Detected

\*

TEST INFORMATION: Cytomegalovirus by PCR, Saliva

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Cytomegalovirus PCR Source	23-216-130885	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cytomegalovirus by PCR, Saliva	23-216-130885	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical