

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/5/2019
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Cytomegalovirus by Qualitative PCR, Saliva

ARUP test code 2008555

Cytomegalovirus PCR Source Saliva

Cytomegalovirus by PCR, Saliva

Not Detected

NOT DETECTED - A negative result does not rule out the presence of PCR inhibitors in the patient specimen or assay specific nucleic acid in concentrations below the level of detection by the assay.

TEST INFORMATION: Cytomegalovirus by PCR, Saliva

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cytomegalovirus PCR Source	19-221-401427	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cytomegalovirus by PCR, Saliva	19-221-401427	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical