

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/5/1962
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Antimicrobial Level - Rifabutin by HPLC, Serum or Plasma

ARUP test code 2009363

Rifabutin - Dose 300 MG
Performed at: National Jewish Center, Advanced Diag. Lab, 1400 Jackson St., Denver, CO 80206

Rifabutin - Time/Date, Last Dose 05/08/2020 0600
Performed at: National Jewish Center, Advanced Diag. Lab, 1400 Jackson St., Denver, CO 80206

Antimicrobial Level - Rifabutin Ser/Pla 0.44 mcg/mL
Performed at: National Jewish Center, Advanced Diag. Lab, 1400 Jackson St., Denver, CO 80206

Rifabutin - Comment See Note

H=High, L=Low, *=Abnormal, C=Critical

Drug Level	Conc.	Unit	Flags
Rifabutin Level by HPLC	0.44	mcg/mL	

Expected sample type received.

Test Name: Rifabutin Level

Interpretation:

The target range for rifabutin when treating mycobacterial infections is 0.3 to 0.9 mcg/mL at 3 to 4 hours after oral dose. Samples drawn later than 4 hours after the dose may display concentrations below the stated range. Samples drawn earlier than 7 days into treatment with rifabutin may not represent steady-state concentrations.

Rifabutin may be given with food if necessary for patient tolerance. This may reduce the peak concentration, but total absorption does not appear to be significantly changed. If rifabutin must be taken with food, peak blood draws should be delayed until 4 to 5 hours post dose.

Although data are lacking, avoid antacids within 2 hours of rifabutin dosing if possible.

Elevated serum rifabutin concentrations have been reported with concomitant administration of macrolide antibiotics and/or fluconazole and itraconazole. Other medications that inhibit hepatic microsomal enzymes may cause the same interaction.

There is a potential association between uveitis and elevated serum rifabutin concentrations. If the patient reports eye pain, redness or loss of vision, discontinue rifabutin and obtain ophthalmic evaluation. Arthralgias, leukopenia, and skin discoloration also have been associated with elevated rifabutin concentrations.

If the time of the dose and the blood draw were not accurately recorded, accurate interpretation of the concentration is not possible.

Ronald J. Harbeck, PhD, D(ABMLI), FAAM
Medical Director, Advanced Diagnostics Laboratories

The performance characteristics for this test have been validated by Advanced Diagnostic Laboratories at National Jewish Health. It has not been cleared or approved by the US Food and Drug Administration.

The results are not intended to be used as the sole means for clinical diagnosis or patient management decisions. This laboratory is certified under the Clinical Laboratory Improvement Amendments of 1988 (CLIA 88) as qualified to perform high complexity clinical laboratory testing. Performed at: National Jewish Center, Advanced Diag. Lab, 1400 Jackson St., Denver, CO 80206

Rifabutin - Specimen

Serum

Performed at: National Jewish Center, Advanced Diag. Lab, 1400 Jackson St., Denver, CO 80206

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Rifabutin - Dose	20-129-400381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Rifabutin - Time/Date, Last Dose	20-129-400381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Antimicrobial Level - Rifabutin Ser/Pla	20-129-400381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Rifabutin - Comment	20-129-400381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Rifabutin - Specimen	20-129-400381	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-129-400381
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 9/2/2020 10:05:32 AM
4848