

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/17/1995
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

17-Hydroxyprogesterone 30-Min Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 2009478

17-Hydroxyprogesterone 30min, HPLC-MS/MS 201.39 ng/dL

INTERPRETIVE DATA: 17-OHProgesterone 30-Min HPLC-MS/MS, S/P

Reference ranges for 17-Hydroxyprogesterone following stimulation are not well defined, and are dependent on the stimulation method utilized.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone 30min, HPLC-MS/MS	19-345-113133	12/11/2019 9:21:00 AM	12/12/2019 2:49:10 AM	12/14/2019 2:08:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-345-113133
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 1/13/2021 8:20:26 AM
4848