ARUP LABORATORIES
800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Chief Medical Officer

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB	9/17/1971
Gender:	Female
Patient Identifiers:	01234567890ABCD, 012345
Visit Number (FIN):	01234567890ABCD
Collection Date:	00/00/0000 00:00

17-Hydroxyprogesterone 60-Min Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 2009480

17-Hydroxyprogesterone 60min, HPLC-MS/MS 241.88 ng/dL

INTERPRETIVE DATA: 17-OHProgesterone 60-Min HPLC-MS/MS, S/P

Reference ranges for 17-Hydroxyprogesterone following stimulation are not well defined, and are dependent on the stimulation method utilized.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone 60min, HPLC-MS/MS	24-184-401784	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical