

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/30/1997
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Herpes Simplex Virus (HSV-1/HSV-2) Subtype by PCR

ARUP test code 2010095

Herpes Simplex Virus Subtype Source	Vesicle
HSV 1 Subtype by PCR	Not Detected
HSV 2 Subtype by PCR	Detected *

INTERPRETIVE INFORMATION: HSV-1 and HSV-2 Subtype by PCR

A negative result does not rule out the presence of PCR inhibitors in the patient specimen or test-specific nucleic acid in concentrations below the level of detection by this test.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Herpes Simplex Virus Subtype Source	22-089-123801	3/30/2022 4:08:00 PM	3/31/2022 12:53:11 AM	4/1/2022 5:16:00 PM
HSV 1 Subtype by PCR	22-089-123801	3/30/2022 4:08:00 PM	3/31/2022 12:53:11 AM	4/1/2022 5:16:00 PM
HSV 2 Subtype by PCR	22-089-123801	3/30/2022 4:08:00 PM	3/31/2022 12:53:11 AM	4/1/2022 5:16:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-089-123801
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/19/2022 6:45:52 AM