

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 4/30/1997  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Herpes Simplex Virus (HSV-1/HSV-2) Subtype by PCR**

ARUP test code 2010095

Herpes Simplex Virus Subtype Source	vesicle
HSV 1 Subtype by PCR	Not Detected
HSV 2 Subtype by PCR	<b>Detected *</b> INTERPRETIVE INFORMATION: HSV-1 and HSV-2 Subtype by PCR A negative result does not rule out the presence of PCR inhibitors in the patient specimen or test-specific nucleic acid in concentrations below the level of detection by this test. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Herpes Simplex Virus Subtype Source	22-089-123801	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HSV 1 Subtype by PCR	22-089-123801	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HSV 2 Subtype by PCR	22-089-123801	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: