

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/15/1992
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Legionella Species by Qualitative PCR

ARUP test code 2010125

| | |
|---------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Legionella Source | BAL |
| Legionella pneumophila by PCR | Not Detected |
| Legionella species by Qualitative PCR | Not Detected INTERPRETIVE INFORMATION: Legionella species by Qualitative PCR A negative result does not rule out the presence of PCR inhibitors in the patient specimen or test-specific nucleic acid in concentrations below the level of detection by this test. This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes. |

| VERIFIED/REPORTED DATES | | | | |
|---------------------------------------|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Legionella Source | 21-095-402121 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Legionella pneumophila by PCR | 21-095-402121 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |
| Legionella species by Qualitative PCR | 21-095-402121 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: