

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/27/1973
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Helicobacter pylori Breath Test, Adult

ARUP test code 2010476

H. pylori Breath Test

Negative (Ref Interval: Negative)

INTERPRETIVE INFORMATION: H. pylori Breath Test

A negative result does not rule out the possibility of H.pylori infection. If clinical signs are suggestive of H. pylori infection, retest with a new specimen or an alternate method. Known causes of false-negative results include:

1. Use of antibiotics, proton pump inhibitors, and bismuth preparations during the preceding 2 weeks.
2. Administration of the breath test less than 4 weeks after completion of definitive therapy to eradicate H. pylori.
3. Premature or late collection of the post-dose specimen.

Known causes of false-positive results include:

1. Patients with achlorhydria.
2. Rinsing the testing solution in the mouth or not using the straw provided in the kit, which can allow contact with urease-positive bacteria.
3. The presence of other gastric spiral organisms such as Helicobacter heilmanii.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
H. pylori Breath Test	20-059-120531	2/28/2020 9:15:00 AM	2/29/2020 10:08:39 PM	3/1/2020 12:47:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: