

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/18/1983  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Hepatitis C Virus Antibody by CIA with Reflex to HCV by Quantitative NAAT**

ARUP test code 2010784

Hepatitis C Antibody by CIA Interp

**High Pos \* (Ref Interval: Negative)**

High Positive for anti-HCV. HCV RNA testing will determine if the patient is currently infected. Refer to the HCV RNA by Quantitative NAAT result for additional detail.

INTERPRETIVE INFORMATION:

Hepatitis C Virus Antibody by CIA Index:

0.79 IV or less ..... Negative  
0.80 to 0.99 IV ..... Equivocal  
1.00 to 10.99 IV ..... Low Positive  
11.00 IV or greater ..... High Positive  
Index Value (IV) = Anti-HCV signal to cutoff (S/C)ratio

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index

>11.00 IV

**Hepatitis C Virus (HCV) by Quantitative NAAT**

ARUP test code 3000572

HCV Qnt by NAAT (IU/mL)

875,079 IU/mL

HCV Qnt by NAAT (log IU/mL)

5.94 log IU/mL

HCV Qnt by NAAT Interp

**Detected \* (Ref Interval: Not Detected)**

H=High, L=Low, \*=Abnormal, C=Critical



INTERPRETIVE INFORMATION: HCV by Quantitative NAAT

Normal range for this assay is "Not Detected".  
The quantitative range of this assay is 10 - 100,000,000 IU/mL (1.0 - 8.0 log IU/mL).

Lower limit of quantitation (LLOQ):  
10 IU/mL (1.0 log IU/mL)  
LLOQ values do not apply to diluted specimens.  
A result of "Not Detected" does not rule out the presence of inhibitors in the patient specimen or hepatitis C virus RNA concentrations below the level of detection of the test. Care should be taken when interpreting any single viral load determination.

This test should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cell, Tissues and Cellular Tissue-Based Products (HCT/P).

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis C Antibody by CIA Interp	23-336-105253	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Index	23-336-105253	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (IU/mL)	23-336-105253	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT (log IU/mL)	23-336-105253	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
HCV Qnt by NAAT Interp	23-336-105253	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical