

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/16/1970
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis C Virus Antibody by CIA with Reflex to HCV by Quantitative NAAT

ARUP test code 2010784

Hepatitis C Antibody by CIA Interp

High Pos * (Ref Interval: Negative)

High Positive for anti-HCV. HCV RNA testing will determine if the patient is currently infected. The anti-HCV (CIA) screen is reactive. Refer to the HCV RNA by Quantitative NAAT result for additional detail.

INTERPRETIVE INFORMATION:

Hepatitis C Virus Antibody by CIA Index:

0.79 IV or less Negative
0.80 to 0.99 IV Equivocal
1.00 to 10.99 IV Low Positive
11.00 IV or greater High Positive
Index Value (IV) = Anti-HCV signal to cutoff (S/C)ratio

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index

>11.00 IV

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis C Antibody by CIA Interp	19-296-144364	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Index	19-296-144364	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical