

Client: Example Client ABC123
 123 Test Drive
 Salt Lake City, UT 84108
 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/12/1998
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Hepatitis C Virus Antibody by CIA with Reflex to HCV by Quantitative NAAT

ARUP test code 2010784

Hepatitis C Antibody by CIA Interp **Negative** (Ref Interval: Negative)

Based on the anti-HCV (CIA) screen, the HCV RNA by Quantitative NAAT test is not indicated and therefore not performed.

INTERPRETIVE INFORMATION:

Hepatitis C Virus Antibody by CIA Index:

0.79 IV or less Negative
 0.80 to 0.99 IV Equivocal
 1.00 to 10.99 IV Low Positive
 11.00 IV or greater High Positive
 Index value (IV) = Anti-HCV signal to cutoff (S/C)ratio

This assay should not be used for blood donor screening, associated re-entry protocols, or for screening Human Cells, Tissues and Cellular and Tissue-Based Products (HCT/P).

Hepatitis C Antibody by CIA Index **0.16 IV**

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hepatitis C Antibody by CIA Interp	19-352-108119	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hepatitis C Antibody by CIA Index	19-352-108119	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical