

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/30/2011
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Helicobacter pylori Breath Test, Pediatric

ARUP test code 2010925

H. pylori Breath Test

Positive * (Ref Interval: Negative)

The test result is based on patient demographic information provided to ARUP and includes patient age, gender, height, and weight. If these are incorrect please call ARUP Client Services at 800-522-2787 ext. 2170 to correct the information and receive an updated test report.

INTERPRETIVE INFORMATION: H. pylori Breath Test

A negative result does not rule out the possibility of H. pylori infection. If clinical signs are suggestive of H. pylori infection, retest with a new specimen or an alternate method.

Known causes of false-negative results include:

1. Use of antibiotics, proton pump inhibitors, and bismuth preparations during the preceding 2 weeks.
2. Administration of the breath test less than 4 weeks after completion of definitive therapy to eradicate H. pylori.
3. Premature or late collection of the post-dose specimen.

Known causes of false-positive results include:

1. Patients with achlorhydria.
2. Rinsing the testing solution in the mouth or not using the straw provided in the kit, which can allow contact with urease-positive bacteria.
3. The presence of other gastric spiral organisms such as Helicobacter heilmannii.

Patient height at time of collection 54 in

Patient weight at time of collection 97 lbs

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
H. pylori Breath Test	20-059-137984	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Patient height at time of collection	20-059-137984	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Patient weight at time of collection	20-059-137984	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical