

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/7/1983
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Collagen Type II Antibody by ELISA, Serum

ARUP test code 2011056

Collagen Type II Antibody, Serum

39.6 EU/mL

-----ADDITIONAL INFORMATION-----

Reference Range:
Negative: <20 EU/mL
Borderline/Equivocal: 20-25 EU/mL
Positive: >25 EU/mL
This test has been developed and performance parameters have been validated by IMMCO Diagnostics, Inc. This test has not been approved by the U.S. Food and Drug Administration (FDA); however, US FDA approval is not required for clinical use. It is not intended that clinical diagnosis and patient management decisions be made using these results alone.
This test has been validated using serum samples. The manufacturer has not determined the efficacy of this test when performed on CSF, plasma, joint or pleural fluid specimens. The performance characteristics of this test were determined by IMMCO Diagnostics Inc.
Test Performed by:
IMMCO Diagnostics, Inc.
640 Elliot Street-3rd Floor
Buffalo, NY 14203

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Collagen Type II Antibody, Serum	21-105-124957	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: